

Dr Vita Zidere's publications

1: Zidere V, Bellsham-Revell H, Persico N, Allan LD. Comparison of echocardiographic findings in fetuses at less than 15 weeks' gestation with later cardiac evaluation. *Ultrasound Obstet Gynecol.* 2013 Dec;42:679-86.

2: Zidere V, Pushparajah K, Allan LD, Simpson JM. Three-dimensional fetal echocardiography for prediction of postnatal surgical approach in double outlet right ventricle: a pilot study. *Ultrasound Obstet Gynecol.* 2013 Oct;42:421-5.

3: Pushparajah K, Barlow A, Tran VH, Miller OI, Zidere V, Vaidyanathan B, Simpson JM. A systematic three-dimensional echocardiographic approach to assist surgical planning in double outlet right ventricle. *Echocardiography.* 2013 Feb;30:234-8.

4: Bataeva R, Bellsham-Revell H, Zidere V, Allan LD. Reliability of fetal thymus measurement in prediction of 22q11.2 deletion: a retrospective study using four-dimensional spatiotemporal image correlation volumes. *Ultrasound Obstet Gynecol.* 2013 Feb;41:172-6.

5: Eliasson H, Sonesson SE, Sharland G, Granath F, Simpson JM, Carvalho JS, Jicinska H, Tomek V, Dangel J, Zielinsky P, Respondek-Liberska M, Freund MW, Mellander M, Bartrons J, Gardiner HM; Fetal Working Group of the European Association of Pediatric Cardiology. Isolated atrioventricular block in the fetus: a retrospective, multinational, multicenter study of 175 patients. *Circulation.* 2011 Nov 1;124:1919-26

6: Mogra R, Zidere V, Allan LD. Prenatally detectable congenital heart defects in fetuses with Down syndrome. *Ultrasound Obstet Gynecol.* 2011 Sep;38:320-4.

7: Persico N, Moratalla J, Lombardi CM, Zidere V, Allan L, Nicolaides KH. Fetal echocardiography at 11-13 weeks by transabdominal high-frequency

ultrasound.

Ultrasound Obstet Gynecol. 2011 Mar;37:296-301.

8: DeFigueiredo D, Dagklis T, Zidere V, Allan L, Nicolaidis KH. Isolated single umbilical artery: need for specialist fetal echocardiography? Ultrasound Obstet Gynecol. 2010 Nov;36:553-5.

9: Borenstein M, Minekawa R, Zidere V, Nicolaidis KH, Allan LD. Aberrant right subclavian artery at 16 to 23 + 6 weeks of gestation: a marker for chromosomal abnormality. Ultrasound Obstet Gynecol. 2010 Nov;36:548-52.

10: Tzifa A, Zidere V, Greil G, Austin C, Krasemann T. Intralimbic hematoma formation within an atrial septal aneurysm in a neonate with hypoplastic left heart syndrome. Am J Perinatol. 2010 Jun;27:481-3.

11: Vogel M, Sharland GK, McElhinney DB, Zidere V, Simpson JM, Miller OI, Allan LD. Prevalence of increased nuchal translucency in fetuses with congenital cardiac disease and a normal karyotype. Cardiol Young. 2009 Sep;19:441-5.

12: Pepes S, Zidere V, Allan LD. Prenatal diagnosis of left atrial isomerism. Heart. 2009 Dec;95:1974-7.

13: Zidere V, Allan LD, Huggon IC. Implications of bidirectional flow in the great arteries at the 11-14-week scan. Ultrasound Obstet Gynecol. 2007 Nov;30:807-12.

14: Zidere V, Allan LD. Changing findings in pentalogy of Cantrell in fetal life. Ultrasound Obstet Gynecol. 2008 Nov;32:835-7.

15: Poon LC, Huggon IC, Zidere V, Allan LD. Tetralogy of Fallot in the fetus in the current era. Ultrasound Obstet Gynecol. 2007 Jun;29:625-7.

16: Zidere V, Lubaua I, Laxis A. Giant fibroma of the right ventricle. Cardiol Young. 2002 Dec;12:584-6.

17: Better DJ, Apfel HD, Zidere V, Allan LD. Pattern of pulmonary venous blood flow in the hypoplastic left heart syndrome in the fetus. Heart. 1999 Jun;81:646-9.